

# The Reduction of Resolution of Weyl module from Characteristic-free to Lascoux Resolution in case (6,5,3)


Haytham Razooki Hassan, Nora Taha Abd

**Abstract—** In this paper we study the relation between the resolution of weyl module  $K_{(6,5,3)}F$  in characteristic-free mode and in the Lascoux mode (characteristic zero), more precisely we obtain the Lascoux resolution of  $K_{(6,5,3)}F$  in characteristic zero as an application of the resolution of  $K_{(6,5,3)}F$  in characteristic-free.

**Index Terms—** Resolution ,Weyl module Lascoux module ,divided power ,characteristic-free.

## I. INTRODUCTION

Let R be commutative ring with 1 and F be free R-module by  $D_nF$  we mean the divided power of degree n. The resolution  $\text{Res}([p, q, r, t_1, t_2])$  of weyl module  $K_{\lambda/\mu}F$  associated to the three-rowed skew-shape  $(p+t_1+t_2, q+t_2, r)/(t_1+t_2, t_2, 0)$  call the shape represented by the diagram



In general, the weyl module  $K_{\lambda/\mu}F$  is presented by the box map  $\sum_{k>0} D_{p+t_1+k}F \otimes D_{q-t_1-k}F \otimes D_rF$

$$\oplus \sum_{l>0} D_pF \otimes D_qF \otimes D_rF \xrightarrow{d'_{\lambda/\mu}} K_{\lambda/\mu}$$

$$\sum_{l>0} D_pF \otimes D_{q+t_2+l}F \otimes D_{r-t_2-l}F$$

Where the maps

$\sum_{k>0} D_{p+t_1+k}F \otimes D_{q-t_1-k}F \otimes D_rF \rightarrow D_pF \otimes D_qF \otimes D_rF$  may be interpreted as  $K^{\text{th}}$  divided power of the place polarization from place 1 to place 2 (i.e.  $\partial_{32}^{(k)}$ ), the maps

$\sum_{l>0} D_pF \otimes D_{q+t_2+l}F \otimes D_{r-t_2-l}F \rightarrow D_pF \otimes D_qF \otimes D_rF$  may be place 2 interpreted as  $l^{\text{th}}$  divided power of the place polarization from place 2 to 3 (i.e.  $\partial_{32}^{(l)}$ ) [1]. we have to mention that we shall use  $D_n$  instead of  $D_nF$  to refer to divided power algebra of degree n .

## II. CHARACTERISTIC-FREE RESOLUTION OF THE PARTITION (6,5,3)

We find the terms of the resolution of weyl module in the case of the partition (6,5,3) .In general a terms of the resolution of weyl module in the case of a three-rowed partition  $(p, q, r)$  which appeared in [2] are

$$\begin{aligned} \text{Res}([p, q, 0]) &\otimes D_r \oplus \sum_{l_2 \geq 0} Z_{32}^{(l_2+1)} y \\ \text{Res}([p, q+l+1; l+1]) &\otimes D_{r-l-1} \oplus \sum_{l_1 \geq 0, l_2 \geq l_1} Z_{32}^{(l_2+1)} y Z_{31}^{(l_1+1)} z \\ \text{Res}([p+l_1+1, q+l_2+1, l_2 - l_1]) &\otimes D_{r-(l_1+l_2+2)} \end{aligned}$$

Where x, y and z stand for the separator variables, and the boundary map is  $\partial_x + \partial_y + \partial_z$ . Let again  $\text{Bar}(M, A; S)$  be the free bar module on the set  $S = \{x, y, z\}$  consisting of three separators x, y and z, where A is the free associative (non-commutative) algebra generated by  $Z_{21}, Z_{32}$  and  $Z_{31}$  and their divided powers with the following relations:

$$Z_{32}^{(a)} Z_{31}^{(b)} = Z_{31}^{(b)} Z_{32}^{(a)} \quad \text{and} \quad Z_{21}^{(a)} Z_{31}^{(b)} = Z_{31}^{(b)} Z_{21}^{(a)}$$

and the module M is the direct sum of tensor products of divided power module  $D_p \otimes D_q \otimes D_r$  for suitable  $p, q$  and  $r$  with the action of  $Z_{21}, Z_{32}$  and  $Z_{31}$  and their divided powers . we will consider the case when  $p = 6, q = 5, \text{and } r = 3$ . we have

$$\text{Res}([6, 5, 0]) \otimes D_3 \oplus \sum_{l_2 \geq 0} Z_{32}^{(l_2+1)} y$$

$$\text{Res}([6, 5+l+1; l+1]) \otimes D_{3-l-1} \oplus \sum_{l_1 \geq 0, l_2 \geq l_1} Z_{32}^{(l_2+1)} y Z_{31}^{(l_1+1)} z$$

$$\text{Res}([6+l_1+1, 5+l_2+1, l_2 - l_1]) \otimes D_{3-(l_1+l_2+2)}, \text{So} \\ \sum_{l_2 \geq 0} Z_{32}^{(l_2+1)} y \quad \text{Res}([6, 5+l+1; l+1]) \otimes D_{3-l-1}$$

$$= Z_{32} y \quad \text{Res}([6, 6; 1]) \otimes D_2 \oplus Z_{32}^{(2)} y \quad \text{Res}([6, 7; 2])$$

$$\otimes D_1 \oplus Z_{32}^{(3)} y \quad \text{Res}([6, 8; 3]) \otimes D_0 \quad \text{and}$$

$$\sum_{l_1 \geq 0, l_2 \geq l_1} Z_{32}^{(l_2+1)} y Z_{31}^{(l_1+1)} z \quad \text{Res}([6+l_1+1, 5+l_2+1; l_2 - l_1])$$

$$\otimes D_{3-(l_1+l_2+2)}$$

$$= Z_{32} y Z_{31} z \quad \text{Res}([7, 6; 0]) \otimes D_1 \oplus Z_{32}^{(2)} y Z_{31} z \quad \text{Res}([7, 7; 1]) D_0$$

Where  $Z_{32} y$  is the bar complex:  $0 \rightarrow Z_{32} y \xrightarrow{\partial_y} Z_{32} \rightarrow 0$

$Z_{32}^{(2)} y$  is the bar complex:

$$0 \rightarrow Z_{32} y Z_{32} y \xrightarrow{\partial_y} Z_{32}^{(2)} y \xrightarrow{\partial_y} Z_{32}^{(2)} \rightarrow 0$$

$Z_{32}^{(3)} y$  is the bar complex:

$$0 \rightarrow Z_{32} y Z_{32} y Z_{32} y \xrightarrow{\partial_y} Z_{32}^{(2)} y Z_{32} y \oplus Z_{32} y Z_{32}^{(2)} y$$

**Dr.Haytham Razooki Hassan,** Department of Mathematics, Roma University / College of science / Baghdad, Iraq .

**Nora Taha Abd,** Department of Mathematics, Al -Mustansiriya University/ Collegeof Science/ Baghdad, Iraq .

$$\xrightarrow{\partial_y} Z_{32}^{(3)} y \xrightarrow{\partial_y} Z_{32}^{(3)} \rightarrow 0 \text{ and } \underline{Z}_{31} z \text{ is the bar complex: } 0 \rightarrow Z_{31} z \xrightarrow{\partial_z} Z_{31} \rightarrow 0$$

Then in this case we have the following terms :

◦ In dimension zero ( $M_0$ ) we have  $D_6 \otimes D_5 \otimes D_3$

◦ In dimension one ( $M_1$ ) we have

•  $Z_{21}^{(b)} x D_{6+b} \otimes D_{5-b} \otimes D_3$  ; with  $b = 1, 2, 3, 4, 5$

•  $Z_{32}^{(b)} y D_6 \otimes D_{5+b} \otimes D_{3-b}$  ; with  $b = 1, 2, 3$

◦ In dimension two ( $M_2$ ) we have the sum of the following terms:

•  $Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{5-|b|} \otimes D_3$  ; with  $|b| = b_1 + b_2 = 2, 3, 4, 5, 6$

•  $Z_{32}^{(2)} y Z_{21}^{(b)} x D_{6+b} \otimes D_{7-b} \otimes D_1$  ; with  $b = 3, 4, 5, 6, 7$

•  $Z_{32}^{(3)} y Z_{21}^{(b)} x D_{6+b} \otimes D_{8-b} \otimes D_0$  ; with  $b = 4, 5, 6, 7, 8$

•  $Z_{32}^{(b_1)} y Z_{32}^{(b_2)} y D_6 \otimes D_{5+|b|} \otimes D_{3-|b|}$  ; with  $|b| = b_1 + b_2 = 2, 3$

•  $Z_{32}^{(b)} y Z_{31} z D_7 \otimes D_{5+b} \otimes D_{2-b}$  ; with  $b = 1, 2$

◦ In dimension three ( $M_3$ ) we have the sum of the following terms:

•  $Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x D_{6+|b|} \otimes D_{5-|b|} \otimes D_3$  ; with  $|b| = b_1 + b_2 + b_3 = 3, 4, 5, 6$  and  $b_1 \geq 1$

•  $Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{6-|b|} \otimes D_2$  ; with  $|b| = b_1 + b_2 = 3, 4, 5, 6$

and  $b_1 \geq 2$

•  $Z_{32}^{(2)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{7-|b|} \otimes D_1$  ; with  $|b| = b_1 + b_2 = 4, 5, 6, 7$

and  $b_1 \geq 3$

•  $Z_{32} y Z_{32} y Z_{21}^{(b)} x D_{6+b} \otimes D_{7-b} \otimes D_1$  ; with  $b = 3, 4, 5, 6, 7$

•  $Z_{32}^{(3)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{7-|b|} \otimes D_1$  ; with  $|b| = b_1 + b_2 = 5, 6, 7, 8$

and  $b_1 \geq 4$

•  $Z_{32}^{(c_1)} y Z_{32}^{(c_2)} y Z_{21}^{(b)} x D_{6+b} \otimes D_{8-b} \otimes D_0$  ; with  $c_1 + c_2 = 3$  and  $b = 4, 5, 6, 7, 8$

•  $Z_{32} y Z_{32} y Z_{32} y D_6 \otimes D_8 \otimes D_0$

•  $Z_{32} y Z_{31} z Z_{21}^{(b)} x D_{7-b} \otimes D_{6-b} \otimes D_1$  ; with  $b = 1, 2, 3, 4, 5, 6$

•  $Z_{32} y Z_{32} y Z_{31} z D_7 \otimes D_7 \otimes D_0$

◦ In dimension four ( $M_4$ ) we have the sum of the following terms:

•  $Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{5-|b|} \otimes D_3$  ; with  $|b| = \sum_{i=1}^4 b_i = 4, 5$  and  $b_1 \geq 1$

•  $Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x D_{6+|b|} \otimes D_{6-|b|} \otimes D_2$  ; with  $|b| = b_1 + b_2 + b_3 = 4, 5, 6$

and  $b_1 \geq 2$

•  $Z_{32}^{(2)} y Z_{31} z Z_{21}^{(b)} x D_{7+b} \otimes D_{7-b} \otimes D_0$  ; with  $b = 2, 3, 4, 5, 6, 7$

•

- $Z_{32}^{(2)} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xD_{6+|b|} \otimes D_{7-|b|} \otimes D_1$ ; with  $|b| = b_1 + b_2 + b_3 = 5, 6, 7$

and  $b_1 \geq 3$

- $Z_{32} yZ_{32} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xD_{6+|b|} \otimes D_{7-|b|} \otimes D_1$ ; with  $|b| = b_1 + b_2 = 4, 5, 6, 7$  and  $b_1 \geq 3$

- $Z_{32}^{(2)} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xD_{6+|b|} \otimes D_{8-|b|} \otimes D_0$ ; with  $|b| = b_1 + b_2 + b_3 = 6, 7, 8$

and  $b_1 \geq 4$

- $Z_{32}^{(c_1)} yZ_{32}^{(c_2)} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xD_{6+|b|} \otimes D_{8-|b|} \otimes D_0$ ; with  $c_1 + c_2 = 3$  and  $|b| = b_1 + b_2 = 5, 6, 7, 8$

and  $b_1 \geq 4$

- $Z_{32} yZ_{32} yZ_{32} yZ_{21}^{(b)} xD_{6+b} \otimes D_{8-b} \otimes D_0$ ; with  $b = 4, 5, 6, 7, 8$

- $Z_{32} yZ_{31} zZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xD_{7+|b|} \otimes D_{6-|b|} \otimes D_1$ ; with  $|b| = b_1 + b_2 = 2, 3, 4, 5, 6$  and  $b_1 \geq 1$

- $Z_{32}^{(2)} yZ_{31} zZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xD_{7+|b|} \otimes D_{7-|b|} \otimes D_0$ ; with  $|b| = b_1 + b_2 = 3, 4, 5, 6, 7$  and  $b_1 \geq 2$

- $Z_{32} yZ_{32} yZ_{31} zZ_{21}^{(b)} xD_{7+b} \otimes D_{7-b} \otimes D_0$ ; with  $b = 2, 3, 4, 5, 6, 7$

◦ In dimension five ( $M_5$ ) we have the sum of the following terms:

- $Z_{21} xZ_{21} xZ_{21} xZ_{21} xZ_{21} xD_{11} \otimes D_0 \otimes D_3$

- $Z_{32} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xZ_{21}^{(b_4)} xD_{6+|b|} \otimes D_{6-|b|} \otimes D_2$ ; with  $|b| = \sum_{i=1}^4 b_i = 5, 6$  and

$b_1 \geq 2$

- $Z_{32}^{(2)} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xZ_{21}^{(b_4)} xD_{6+|b|} \otimes D_{7-|b|} \otimes D_1$ ; with  $|b| = \sum_{i=1}^4 b_i = 6, 7$  and

$b_1 \geq 3$

- $Z_{32} yZ_{32} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xD_{6+|b|} \otimes D_{7-|b|} \otimes D_1$ ; with  $|b| = b_1 + b_2 + b_3 = 5, 6, 7$  and  $b_1 \geq 3$

- $Z_{32}^{(2)} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xZ_{21}^{(b_4)} xD_{6+|b|} \otimes D_{8-|b|} \otimes D_0$ ; with  $|b| = \sum_{i=1}^4 b_i = 7, 8$

and  $b_1 \geq 4$

- $Z_{32}^{(c_1)} yZ_{32}^{(c_2)} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xD_{6+|b|} \otimes D_{8-|b|} \otimes D_0$ ; with  $c_1 + c_2 = 3$

and  $|b| = b_1 + b_2 + b_3 = 6, 7, 8$  and  $b_1 \geq 4$

- $Z_{32} yZ_{32} yZ_{32} yZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xD_{6+|b|} \otimes D_{8-|b|} \otimes D_0$ ; with  $|b| = b_1 + b_2 = 5, 6, 7, 8$  and  $b_1 \geq 4$

- $Z_{32} yZ_{31} zZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xD_{7+|b|} \otimes D_{6-|b|} \otimes D_1$ ; with  $|b| = b_1 + b_2 + b_3 = 3, 4, 5, 6$  and  $b_1 \geq 1$

- $Z_{32}^{(2)} yZ_{31} zZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xZ_{21}^{(b_3)} xD_{7+|b|} \otimes D_{7-|b|} \otimes D_0$ ; with  $|b| = b_1 + b_2 + b_3 = 4, 5, 6, 7$  and  $b_1 \geq 2$

- $Z_{32} yZ_{32} yZ_{31} zZ_{21}^{(b_1)} xZ_{21}^{(b_2)} xD_{7+|b|} \otimes D_{7-|b|} \otimes D_0$ ; with  $|b| = b_1 + b_2 = 3, 4, 5, 6, 7$  and  $b_1 \geq 2$

◦ In dimension six ( $M_6$ ) we have the sum of the following terms:

- $Z_{32} yZ_{21}^{(2)} xZ_{21} xZ_{21} xZ_{21} xZ_{21} xD_{12} \otimes D_0 \otimes D_2$

- $Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{13} \otimes D_0 \otimes D_1 \bullet Z_{32} y Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{7-|b|} \otimes D_1 ;$

with  $|b| = \sum_{i=1}^4 b_i = 6,7$  and  $b_1 \geq 3$

- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{14} \otimes D_0 \otimes D_0 \bullet Z_{32}^{(c_1)} y Z_{32}^{(c_2)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{8-|b|} \otimes D_0 ;$

with  $c_1 + c_2 = 3$  and  $|b| = \sum_{i=1}^4 b_i = 7,8$  and  $b_1 \geq 4$  •  $Z_{32} y Z_{32} y Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{8-|b|} \otimes D_0 ;$

with  $|b| = b_1 + b_2 + b_3 = 6,7,8$  and  $b_1 \geq 4$  •  $Z_{32} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{7+|b|} \otimes D_{6-|b|} \otimes D_1 ;$

with  $|b| = \sum_{i=1}^4 b_i = 4,5,6$  and  $b_1 \geq 1$

- $Z_{32}^{(2)} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{7+|b|} \otimes D_{7-|b|} \otimes D_0 ;$

with  $|b| = \sum_{i=1}^4 b_i = 5,6,7$  and  $b_1 \geq 2$

- In dimension seven ( $M_7$ ) we have the sum of the following terms: •  $Z_{32} y Z_{32} y Z_{21}^{(3)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{13} \otimes D_0 \otimes D_1$   
 •  $Z_{32}^{(c_1)} y Z_{32}^{(c_2)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{8-|b|} \otimes D_0 ;$

with  $c_1 + c_2 = 3$  and  $|b| = \sum_{i=1}^5 b_i = 8$  and  $b_1 \geq 4$

- $Z_{32} y Z_{32} y Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{8-|b|} \otimes D_0 ;$

with  $|b| = b_1 + b_2 + b_3 = 7,8$  and  $b_1 \geq 4$

- $Z_{32} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x D_{7+|b|} \otimes D_{6-|b|} \otimes D_1 ;$

with  $|b| = \sum_{i=1}^5 b_i = 5,6$  and  $b_1 \geq 1$

- $Z_{32}^{(2)} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x D_{7+|b|} \otimes D_{7-|b|} \otimes D_0 ;$

with  $|b| = \sum_{i=1}^5 b_i = 6,7$  and  $b_1 \geq 2$

- $Z_{32} y Z_{32} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{7+|b|} \otimes D_{7-|b|} \otimes D_0 ;$

with  $|b| = \sum_{i=1}^4 b_i = 5,6,7$  and  $b_1 \geq 2$

◦ In dimension eight ( $M_8$ ) we have the sum of the following terms:

- $Z_{32} y Z_{32} y Z_{32} y Z_{21}^{(4)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{14} \otimes D_0 \otimes D_0$

- $Z_{32} y Z_{31} z Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{13} \otimes D_0 \otimes D_1$

- $Z_{32}^{(2)} y Z_{31} z Z_{21}^{(2)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{14} \otimes D_0 \otimes D_0$

- $Z_{32} y Z_{32} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x D_{7+|b|} \otimes D_{7-|b|} \otimes D_0 ;$

with  $|b| = \sum_{i=1}^5 b_i = 6,7$  and  $b_1 \geq 2$

Finally In dimension nine ( $M_9$ ) we have

- $Z_{32} y Z_{32} y Z_{31} z Z_{21}^{(2)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{14} \otimes D_0 \otimes D_0$

In [2] , it is necessary to introduce a quotient of bar complex modulo the Capelli identities relations ; the proof these relation are compatible with the boundary map  $\partial_x + \partial_y + \partial_z$  is complicated [2] .

### III. LASCOUX RESOLUTION OF THE PARTITION (6,5,3)

The Lascoux resolution of the weyl module associated to the partition (6,5,3) looks like this

$$D_9 F \otimes D_4 F \otimes D_2 F \rightarrow D_7 F \otimes D_4 F \otimes D_3 F \oplus D_7 F \otimes D_6 F \otimes D_1 F \rightarrow D_6 F \otimes D_5 F \otimes D_3 F \oplus D_6 F \otimes D_6 F \otimes D_2 F \rightarrow D_6 F \otimes D_5 F \otimes D_3 F \rightarrow 0$$

Where the position of the terms of the complex determined by the length of the permutations to which they correspond .The correspondence between the terms of the resolution above and permutations is as follows:

$$D_6F \otimes D_5F \otimes D_3F \leftrightarrow identity$$

$$D_4F \otimes D_7F \otimes D_3F \leftrightarrow (12)$$

$$D_6F \otimes D_2F \otimes D_6F \leftrightarrow (23)$$

$$D_4F \otimes D_2F \otimes D_9F \leftrightarrow (123)$$

$$D_1F \otimes D_5F \otimes D_8F \leftrightarrow (13)$$

$$D_1F \otimes D_6F \otimes D_7F \leftrightarrow (132)$$

Now ,the terms can be presented as below ,following Buchsbaum method [1] .

$$M_0 = A_0$$

$$M_1 = A_1 + B_1$$

$$M_2 = A_2 + B_2$$

$$M_3 = A_3 + B_3$$

$$M_j = B_j ; \text{ for } j=4,5,6,7,8,9.$$

Where  $A_s$  are the sums of the Lascoux terms and the  $B_s$  are the sums of the others.


Then the map can be defined as:  $\sigma_1: B_1 \rightarrow A_1$

If we define this map as follows:

- $Z_{21}^{(2)}x(v) \mapsto \frac{1}{2}Z_{21}x\partial_{21}(v) ; \text{where } v \in D_8 \otimes D_3 \otimes D_3$
- $Z_{21}^{(3)}x(v) \mapsto \frac{1}{3}Z_{21}x\partial_{21}^{(2)}(v) ; \text{where } v \in D_9 \otimes D_2 \otimes D_3$
- $Z_{21}^{(4)}x(v) \mapsto \frac{1}{4}Z_{21}x\partial_{21}^{(3)}(v) ; \text{where } v \in D_{10} \otimes D_1 \otimes D_3$
- $Z_{21}^{(5)}x(v) \mapsto \frac{1}{5}Z_{21}x\partial_{21}^{(4)}(v) ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$
- $Z_{32}^{(2)}y(v) \mapsto \frac{1}{2}Z_{32}y\partial_{32}^{(2)}(v) ; \text{where } v \in D_6 \otimes D_9 \otimes D_0$

We should point out that the map  $\sigma_1$  satisfies the identity :

$$\delta_{A_1 A_0} \sigma_1 = \delta_{B_1 B_0} \quad (3.1)$$



Where by  $\delta_{A_1 A_0}$  we mean the component of the boundary of the fat complex which conveys  $A_1$  to  $A_0$ . We will use notation  $\delta_{A_{i+1} A_i}$  ,  $\delta_{A_{i+1} B_i}$  etc .Then we can define  $\partial_1: A_1 \rightarrow A_0$  as  $\partial_1 = \delta_{A_1 A_0}$  .It is easy to show that  $\partial_1$  which we defined above satisfies (3.1) ,for example :

$$(\delta_{A_1 A_0} \circ \sigma_1)(Z_{21}^{(2)}x(v)) = \delta_{A_1 A_0}(\frac{1}{2}Z_{21}x\partial_{21}(v)) = \frac{1}{2}(\partial_{21}\partial_{21}(v)) = \partial_{21}^{(2)}(v) = \delta_{B_1 B_0}(Z_{21}^{(2)}x(v))$$

At this point we are in position to define  $\partial_2: A_2 \rightarrow A_1$  as  $\partial_2 = \delta_{A_2 A_1} + \sigma_1 \delta_{A_2 B_1}$

Proposition(3.1)

The composition  $\partial_1 \circ \partial_2 = 0$

**Proof:** [1] ,[3]

$$\partial_1 \circ \partial_2(a) = \delta_{A_1 A_0} \circ (\delta_{A_2 A_1}(a) + \sigma_1 \circ \delta_{A_2 B_1}(a))$$

$$= \delta_{A_1 A_0} \circ \delta_{A_2 A_1}(a) + \delta_{A_1 A_0} \circ \sigma_1 \circ \delta_{A_2 B_1}(a)$$

but  $\delta_{A_1 A_0} \circ \sigma_1 = \delta_{B_1 B_0}$  we have

$$\partial_1 \circ \partial_2(a) = \delta_{A_1 A_0} \circ \delta_{A_2 A_1}(a) + \delta_{B_1 B_0} \circ \delta_{A_2 B_1}(a)$$

Which equal to zero because the properties of the boundary map  $\delta$  [1], so we get that  $\partial_1 \partial_2 = 0$ .

Now we define map  $\sigma_2: B_2 \rightarrow A_2$  such that

$$\delta_{A_2 A_1} + \sigma_1 \circ \delta_{B_2 B_1} = (\delta_{A_2 A_1} + \sigma_1 \circ \delta_{A_2 B_1}) \circ \sigma_2 \quad (3.2)$$

We define this maps as follows:

$$\bullet Z_{21} x Z_{21} x(v) \mapsto 0 \quad ; \text{where } v \in D_8 \otimes D_3 \otimes D_3$$

$$\bullet Z_{21}^{(2)} x Z_{21} x \mapsto 0 \quad ; \text{where } v \in D_9 \otimes D_2 \otimes D_3$$

$$\bullet Z_{21} x Z_{21}^{(2)} x(v) \mapsto 0 \quad ; \text{where } v \in D_9 \otimes D_2 \otimes D_3$$

$$\bullet Z_{21}^{(3)} x Z_{21} x(v) \mapsto 0 \quad ; \text{where } v \in D_{10} \otimes D_1 \otimes D_3$$

$$\bullet Z_{21}^{(2)} x Z_{21}^{(2)} x(v) \mapsto 0 \quad ; \text{where } v \in D_{10} \otimes D_1 \otimes D_3$$

$$\bullet Z_{21} x Z_{21}^{(3)} x(v) \mapsto 0 \quad ; \text{where } v \in D_{10} \otimes D_1 \otimes D_3$$

$$\bullet Z_{21}^{(4)} x Z_{21} x(v) \mapsto 0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$$

$$\bullet Z_{21}^{(3)} x Z_{21}^{(2)} x(v) \mapsto 0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$$

$$\bullet Z_{21}^{(2)} x Z_{21}^{(3)} x(v) \mapsto 0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$$

$$\bullet Z_{21} x Z_{21}^{(4)} x(v) \mapsto 0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$$

$$\bullet Z_{32} y Z_{21}^{(2)} x \mapsto \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{21}(v) \quad ; \text{where } v \in D_9 \otimes D_3 \otimes D_2$$

$$\bullet Z_{32} y Z_{21}^{(4)} x(v) \mapsto \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)}(v) \quad ; \text{where } v \in D_{10} \otimes D_2 \otimes D_2$$

$$\bullet Z_{32} y Z_{21}^{(5)} x(v) \mapsto \frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)}(v) \quad ; \text{where } v \in D_{11} \otimes D_1 \otimes D_2$$

$$\bullet Z_{32} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{15} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)}(v) \quad ; \text{where } v \in D_{12} \otimes D_0 \otimes D_2$$

- $Z_{32}^{(2)}yZ_{21}^{(2)}x(v) \mapsto$   
 $\frac{1}{2}Z_{32}yZ_{21}^{(2)}x\partial_{31}(v) + \frac{1}{6}Z_{32}yZ_{21}^{(2)}x\partial_{21}\partial_{32}(v)$   
*; where  $v \in D_9 \otimes D_4 \otimes D_1$*
- $Z_{32}^{(2)}yZ_{12}^{(4)}x(v) \mapsto$   
 $\frac{1}{6}Z_{32}yZ_{21}^{(2)}x\partial_{21}\partial_{31}(v) + \frac{1}{12}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}\partial_{32}(v)$   
*; where  $v \in D_{10} \otimes D_3 \otimes D_1$*
- $Z_{32}^{(2)}yZ_{21}^{(5)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}\partial_{31}(v) -$   
 $\frac{1}{5}Z_{32}yZ_{31}z\partial_{21}^{(4)}(v)$   
*; where  $v \in D_{11} \otimes D_2 \otimes D_1$*
- $Z_{32}^{(2)}yZ_{21}^{(6)}x(v) \mapsto$   
 $-\frac{1}{4}Z_{32}yZ_{31}z\partial_{21}^{(5)}(v) -$   
 $\frac{1}{60}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(4)}\partial_{32}(v)$  ; *where  $v \in D_{12} \otimes D_1 \otimes D_1$*
- $Z_{32}^{(2)}yZ_{21}^{(7)}x(v) \mapsto$   
 $-\frac{1}{5}Z_{32}yZ_{31}z\partial_{21}^{(6)}(v)$  ; *where  $v \in D_{13} \otimes D_0 \otimes D_1$*
- $Z_{32}yZ_{32}y(v) \mapsto 0$  ; *where  $v \in D_6 \otimes D_7 \otimes D_1$*
- $Z_{32}^{(2)}yZ_{21}^{(4)}x(v) \mapsto$   
 $\frac{1}{2}Z_{32}yZ_{21}^{(2)}x\partial_{31}^{(2)}(v) - \frac{1}{6}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}\partial_{32}^{(2)}(v) -$   
 $\frac{1}{3}Z_{32}yZ_{31}z\partial_{21}^{(3)}\partial_{32}(v)$  ; *where  $v \in D_{10} \otimes D_4 \otimes D_0$*
- $Z_{32}^{(2)}yZ_{21}^{(5)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(3)}\partial_{32}^{(2)}(v) -$   
 $\frac{1}{6}Z_{32}yZ_{31}z\partial_{21}^{(3)}\partial_{31}(v)$  ; *where  $v \in D_{11} \otimes D_3 \otimes D_0$*
- $Z_{32}^{(2)}yZ_{21}^{(6)}x(v) \mapsto \frac{1}{45}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(4)}\partial_{32}^{(2)}(v) + \frac{1}{30}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(3)}\partial_{32}\partial_{31}(v) + \frac{1}{18}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}\partial_{31}^{(2)}(v)$   
*; where  $v \in D_{12} \otimes D_2 \otimes D_0$*
- $Z_{32}^{(2)}yZ_{21}^{(7)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(3)}\partial_{31}^{(2)}(v) + \frac{1}{45}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(4)}\partial_{32}\partial_{31}(v)$  ; *where  $v \in D_{13} \otimes D_1 \otimes D_0$*
- $Z_{32}^{(2)}yZ_{21}^{(8)}x(v) \mapsto -\frac{1}{15}Z_{32}yZ_{31}z\partial_{21}^{(6)}\partial_{31}(v)$  ; *where  $v \in D_{14} \otimes D_0 \otimes D_0$*
- $Z_{32}yZ_{32}^{(2)}y(v) \mapsto$   
 $0$  ; *where  $v \in D_6 \otimes D_8 \otimes D_3$*
- $Z_{32}^{(2)}yZ_{32}y(v) \mapsto$   
 $0$  ; *where  $v \in D_6 \otimes D_8 \otimes D_3$*
- $Z_{32}^{(2)}yZ_{21}z(v) \mapsto$   
 $\frac{1}{3}Z_{32}yZ_{31}z\partial_{32}(v)$  ; *where  $v \in D_7 \otimes D_7 \otimes D_0$*

It is easy to show that  $\sigma_2$  which is defined above satisfies (3.2), for example we chose one of them

$$\begin{aligned}
 & (\delta_{B_2 A_1} + \sigma_1 \delta_{B_2 B_1})(Z_{32}^{(2)}yZ_{31}z(v)) \quad ; \text{where } v \in \\
 & D_7 \otimes D_7 \otimes D_0 \\
 & = \sigma_1(Z_{32}^{(2)}y\partial_{21}(v)) - Z_{21}x\partial_{32}^{(3)}(v) - \sigma_1(Z_{32}^{(2)}y\partial_{31}(v))
 \end{aligned}$$

$$\begin{aligned}
 &= \frac{1}{3} Z_{32} y \partial_{21} \partial_{32}^{(2)}(v) + \frac{1}{3} Z_{32} y \partial_{32} \partial_{31}(v) - Z_{21} x \partial_{32}^{(3)}(v) - \\
 &\quad \frac{1}{2} Z_{32} y \partial_{32} \partial_{31}(v) \\
 &= \frac{1}{3} Z_{32} y \partial_{21} \partial_{32}^{(2)}(v) - \frac{1}{6} Z_{32} y \partial_{32} \partial_{31}(v) - Z_{21} x \partial_{32}^{(3)}(v)
 \end{aligned}$$

and

$$\begin{aligned}
 &(\delta_{A_2 A_1} + \sigma_1 \delta_{A_2 B_1}) (\frac{1}{3} Z_{32} y Z_{31} z \partial_{32}(v)) \\
 &= \sigma_1 (\frac{1}{3} Z_{32}^{(2)} y \partial_{21} \partial_{32}(v)) - \frac{1}{3} Z_{21} x \partial_{32}^{(2)} \partial_{32}(v) - \\
 &\quad \frac{1}{3} Z_{32} y \partial_{31} \partial_{32}(v) \\
 &= \frac{1}{6} Z_{32} y \partial_{21} \partial_{32} \partial_{32}(v) + \frac{1}{6} Z_{32} y \partial_{32} \partial_{31}(v) - \\
 &\quad \frac{1}{3} Z_{21} x \partial_{32}^{(3)}(v) - \frac{1}{3} Z_{32} y \partial_{32} \partial_{31}(v) \\
 &= \frac{1}{3} Z_{32} y \partial_{21} \partial_{32}^{(2)}(v) - \frac{1}{6} Z_{32} y \partial_{32} \partial_{31}(v) - Z_{21} x \partial_{32}^{(3)}(v)
 \end{aligned}$$

Proposition 3 .2

we have exactness at  $A_i$

Proof : See [1] and [3]

Now by using  $\sigma_2$  we can also define  $\partial_3 : A_3 \rightarrow A_2$  by  $\partial_3 = \delta_{A_3 A_2} + \sigma_2 \delta_{A_3 B_2}$

Proposition 3.3

$$\partial_2 \circ \partial_3 = 0$$

Proof :the same way used in proposition (3.1)

we need the definition of a map  $\sigma_3 : B_3 \rightarrow A_3$  Such that  $\delta_{B_3 A_2} + \sigma_2 \delta_{B_3 B_2} = (\delta_{A_3 A_2} + \sigma_2 \delta_{A_3 B_2}) \sigma_3$  (3.3)

As follows

$$\begin{aligned}
 &Z_{21} x Z_{21} x Z_{21} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_9 \otimes D_2 \otimes D_3
 \end{aligned}$$

$$\begin{aligned}
 &Z_{21}^{(2)} x Z_{21} x Z_{21} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_{10} \otimes D_1 \otimes D_3
 \end{aligned}$$

$$\begin{aligned}
 &Z_{21} x Z_{21}^{(2)} x Z_{21} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_{10} \otimes D_1 \otimes D_3
 \end{aligned}$$

$$\begin{aligned}
 &Z_{21} x Z_{21} x Z_{21}^{(2)} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_{10} \otimes D_1 \otimes D_3
 \end{aligned}$$

$$\begin{aligned}
 &Z_{21}^{(3)} x Z_{21} x Z_{21} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_{11} \otimes D_0 \otimes D_3
 \end{aligned}$$

$$\begin{aligned}
 &Z_{21} x Z_{21}^{(3)} x Z_{21} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_{11} \otimes D_0 \otimes D_3
 \end{aligned}$$

$$\begin{aligned}
 &Z_{21} x Z_{21} x Z_{21}^{(3)} x(v) \mapsto \\
 &0 \quad ;\text{where } v \in D_{11} \otimes D_0 \otimes D_3
 \end{aligned}$$

- $Z_{21}^{(2)} x Z_{21}^{(2)} x Z_{21} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$
- $Z_{21}^{(2)} x Z_{21} x Z_{21}^{(2)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$
- $Z_{21} x Z_{21}^{(2)} x Z_{21}^{(2)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{11} \otimes D_0 \otimes D_3$
- $Z_{32} y Z_{21}^{(2)} x Z_{21} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_9 \otimes D_3 \otimes D_2$
- $Z_{32} y Z_{21}^{(2)} x Z_{21} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{10} \otimes D_2 \otimes D_2$
- $Z_{32} y Z_{21}^{(2)} x Z_{21}^{(2)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{10} \otimes D_2 \otimes D_2$
- $Z_{32} y Z_{21}^{(4)} x Z_{21} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{11} \otimes D_1 \otimes D_2$
- $Z_{32} y Z_{21}^{(2)} x Z_{21}^{(2)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{11} \otimes D_1 \otimes D_2$
- $Z_{32} y Z_{21}^{(2)} x Z_{21}^{(3)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{11} \otimes D_1 \otimes D_2$
- $Z_{32} y Z_{21}^{(5)} x Z_{21} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{12} \otimes D_0 \otimes D_2$
- $Z_{32} y Z_{21}^{(4)} x Z_{21}^{(2)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{12} \otimes D_0 \otimes D_2$
- $Z_{32} y Z_{21}^{(2)} x Z_{21}^{(2)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{12} \otimes D_0 \otimes D_2$
- $Z_{32} y Z_{21}^{(2)} x Z_{21}^{(4)} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{12} \otimes D_0 \otimes D_2$
- $Z_{32}^{(2)} y Z_{21}^{(2)} x Z_{21} x(v) \mapsto$   
 $0 \quad ; \text{where } v \in D_{10} \otimes D_3 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21} x(v) \mapsto$   
 $\frac{1}{4} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(3)}(v) \quad ; \text{where } v \in D_{11} \otimes D_2 \otimes D_1$

- $Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21}^{(2)} x(v) \mapsto \frac{1}{2} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(3)}(v)$  ; where  $v \in D_{11} \otimes D_2 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21} x(v) \mapsto \frac{1}{10} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)}(v)$  ; where  $v \in D_{12} \otimes D_1 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(2)} x(v) \mapsto \frac{3}{4} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)}(v)$  ; where  $v \in D_{12} \otimes D_1 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21}^{(2)} x(v) \mapsto Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)}(v)$  ; where  $v \in D_{12} \otimes D_1 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(6)} x Z_{21} x(v) \mapsto -\frac{1}{60} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)}(v)$  ; where  $v \in D_{13} \otimes D_0 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21}^{(2)} x(v) \mapsto \frac{1}{5} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)}(v)$  ; where  $v \in D_{13} \otimes D_0 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(3)} x(v) \mapsto \frac{7}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)}(v)$  ; where  $v \in D_{13} \otimes D_0 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21}^{(4)} x(v) \mapsto \frac{7}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)}(v)$  ; where  $v \in D_{13} \otimes D_0 \otimes D_1$
- $Z_{32} y Z_{32} y Z_{21}^{(2)} x(v) \mapsto 0$  ; where  $v \in D_9 \otimes D_4 \otimes D_1$
- $Z_{32} y Z_{32} y Z_{21}^{(4)} x(v) \mapsto 0$  ; where  $v \in D_{10} \otimes D_3 \otimes D_1$
- $Z_{32} y Z_{32} y Z_{21}^{(5)} x(v) \mapsto -\frac{1}{10} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(3)}(v)$  ; where  $v \in D_{11} \otimes D_2 \otimes D_1$
- $Z_{32} y Z_{32} y Z_{21}^{(6)} x(v) \mapsto -\frac{1}{10} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)}(v)$  ; where  $v \in D_{12} \otimes D_1 \otimes D_1$
- $Z_{32} y Z_{32} y Z_{21}^{(7)} x(v) \mapsto -\frac{1}{15} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)}(v)$  ; where  $v \in D_{13} \otimes D_0 \otimes D_1$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21} x(v) \mapsto \frac{1}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{31}(v) - \frac{1}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(3)} \partial_{32}(v)$  ; where  $v \in D_{11} \otimes D_3 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21} x(v) \mapsto -\frac{1}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(3)} \partial_{31}(v)$  ; where  $v \in D_{12} \otimes D_2 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(2)} x(v) \mapsto -\frac{1}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(3)} \partial_{31}(v) - \frac{2}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{32}(v)$  ; where  $v \in D_{12} \otimes D_2 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(6)} x Z_{21} x(v) \mapsto 0$  ; where  $v \in D_{13} \otimes D_1 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21}^{(2)} x(v) \mapsto -\frac{1}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{31}(v)$  ; where  $v \in D_{13} \otimes D_1 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(3)} x(v) \mapsto -\frac{2}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{31}(v) - \frac{10}{9} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{32}(v)$  ; where  $v \in D_{13} \otimes D_1 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(7)} x Z_{21} x(v) \mapsto \frac{4}{45} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{31}(v)$  ; where  $v \in D_{14} \otimes D_0 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(6)} x Z_{21}^{(2)} x(v) \mapsto \frac{14}{45} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{31}(v)$  ; where  $v \in D_{14} \otimes D_0 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21}^{(3)} x(v) \mapsto \frac{1}{15} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{31}(v)$  ; where  $v \in D_{14} \otimes D_0 \otimes D_0$
- $Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(4)} x(v) \mapsto -\frac{1}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{31}(v)$  ; where  $v \in D_{14} \otimes D_0 \otimes D_0$
- $Z_{32} y Z_{32} y Z_{21}^{(4)} x(v) \mapsto -\frac{1}{3} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{32}(v)$  ; where  $v \in D_{10} \otimes D_4 \otimes D_0$
- $Z_{32} y Z_{32} y Z_{21}^{(5)} x(v) \mapsto -\frac{1}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{31}(v)$  ; where  $v \in D_{11} \otimes D_3 \otimes D_0$

- $Z_{32}yZ_{32}^{(2)}yZ_{21}^{(6)}x(v) \mapsto 0$ ; where  $v \in D_{12} \otimes D_2 \otimes D_0$
- $Z_{32}yZ_{32}^{(2)}yZ_{21}^{(7)}x(v) \mapsto 0$ ; where  $v \in D_{13} \otimes D_1 \otimes D_0$
- $Z_{32}yZ_{32}^{(2)}yZ_{21}^{(8)}x(v) \mapsto -\frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{31}(v)$ ; where  $v \in D_{14} \otimes D_0 \otimes D_0$
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(4)}x(v) \mapsto -\frac{1}{3}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{32}(v)$ ; where  $v \in D_{10} \otimes D_4 \otimes D_0$
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(5)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{32}(v) - \frac{1}{6}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{31}(v)$ ; where  $v \in D_{11} \otimes D_3 \otimes D_0$
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(6)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{31}(v) + \frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{32}(v)$ ; where  $v \in D_{12} \otimes D_2 \otimes D_0$
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(7)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{32}(v) + \frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{31}(v)$ ; where  $v \in D_{13} \otimes D_1 \otimes D_0$
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(8)}x(v) \mapsto 0$ ; where  $v \in D_{14} \otimes D_0 \otimes D_0$
- $Z_{32}yZ_{32}yZ_{32}y(v) \mapsto 0$ ; where  $v \in D_6 \otimes D_8 \otimes D_0$
- $Z_{32}yZ_{31}zZ_{21}^{(2)}x(v) \mapsto \frac{1}{2}Z_{32}yZ_{31}zZ_{21}x\partial_{21}(v)$ ; where  $v \in D_9 \otimes D_4 \otimes D_1$
- $Z_{32}yZ_{31}zZ_{21}^{(3)}x(v) \mapsto \frac{1}{3}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}(v)$ ; where  $v \in D_{10} \otimes D_3 \otimes D_1$
- $Z_{32}yZ_{31}zZ_{21}^{(4)}x(v) \mapsto \frac{1}{10}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}(v)$ ; where  $v \in D_{11} \otimes D_2 \otimes D_1$
- $Z_{32}yZ_{31}zZ_{21}^{(5)}x(v) \mapsto 0$ ; where  $v \in D_{12} \otimes D_1 \otimes D_1$
- $Z_{32}yZ_{31}zZ_{21}^{(6)}x(v) \mapsto 0$ ; where  $v \in D_{13} \otimes D_0 \otimes D_1$
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(2)}x(v) \mapsto \frac{1}{6}Z_{32}yZ_{31}zZ_{21}x\partial_{21}\partial_{32}(v) + \frac{1}{3}Z_{32}yZ_{31}zZ_{21}x\partial_{31}(v)$ ; where  $v \in D_9 \otimes D_5 \otimes D_0$
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(3)}x(v) \mapsto \frac{1}{6}Z_{32}yZ_{31}zZ_{21}x\partial_{21}\partial_{31}(v)$ ; where  $v \in D_{10} \otimes D_4 \otimes D_0$
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(4)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{32}(v)$ ; where  $v \in D_{11} \otimes D_3 \otimes D_0$
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(5)}x(v) \mapsto \frac{1}{12}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{31}(v) + \frac{1}{60}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{32}(v)$ ; where  $v \in D_{12} \otimes D_2 \otimes D_0$

- $\bullet Z_{32}^{(2)} y Z_{31} z Z_{21}^{(6)} x(v) \mapsto \frac{1}{15} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{31}(v) + \frac{1}{45} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{32}(v)$   
; where  $v \in D_{13} \otimes D_1 \otimes D_0$

- $\bullet Z_{32}^{(2)} y Z_{31} z Z_{21}^{(7)} x(v) \mapsto 0$   
; where  $v \in D_{14} \otimes D_0 \otimes D_0$

- $\bullet Z_{32} y Z_{32} y Z_{31} z(v) \mapsto 0$   
; where  $v \in D_7 \otimes D_7 \otimes D_0$

Again we can show that  $\sigma_3$  which defined above satisfies the condition (3.3), and we chose one of them as an example

- $\bullet (\delta_{B_3 A_2} + \sigma_2 \delta_{B_3 B_2})(Z_{32} y Z_{32} y Z_{21}^{(5)} x(v))$  ; where  $v \in D_{11} \otimes D_2 \otimes D_1$

$$\begin{aligned}
 &= \\
 &\sigma_2(2Z_{32}^{(2)} y Z_{21}^{(5)} x(v)) - \sigma_2(Z_{32} y Z_{21}^{(5)} x \partial_{32}(v)) - \\
 &\sigma_2(Z_{32} y Z_{21}^{(4)} x \partial_{31}(v)) + \sigma_2(Z_{32} y Z_{32} y \partial_{21}^{(5)}(v)) \\
 &= \frac{2}{30} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}(v) - \frac{2}{5} Z_{32} y Z_{31} z \partial_{21}^{(4)}(v) - \frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{32}(v) - \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}(v) \\
 &= -\frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}(v) - \frac{2}{5} Z_{32} y Z_{31} z \partial_{21}^{(4)}(v) - \\
 &\frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{32}(v)
 \end{aligned}$$

and

$$\begin{aligned}
 &(\delta_{A_3 A_2} + \sigma_2 \delta_{A_3 B_2})(-\frac{1}{10} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)}(v)) \\
 &= \sigma_2(-\frac{1}{10} Z_{21} x Z_{21} x \partial_{21}^{(2)} \partial_{21}^{(3)}(v)) - \frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{22} \partial_{21}^{(3)}(v) + \\
 &\sigma_2(-\frac{1}{10} Z_{32} y Z_{32} y \partial_{21}^{(2)} \partial_{21}^{(3)}(v)) - \\
 &\frac{4}{10} Z_{32} y Z_{31} z \partial_{21}^{(4)}(v) \\
 &= -\frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{32}(v) - \frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}(v) - \\
 &\frac{2}{5} Z_{32} y Z_{31} z \partial_{21}^{(4)}(v)
 \end{aligned}$$

So from all we have done above we have the complex

$$0 \rightarrow A_3 \xrightarrow{\partial_3} A_2 \xrightarrow{\partial_2} A_1 \xrightarrow{\partial_1} A_0$$

(3.4)

Where  $\partial_i$  defined by:

- $\bullet \partial_1(Z_{21} x(v)) = \partial_{21}(v)$
- $\bullet \partial_1(Z_{32} y(v)) = \partial_{32}(v)$
- $\bullet \partial_2(Z_{32} y Z_{21}^{(2)} x(v)) = \frac{1}{2} Z_{21} x \partial_{21} \partial_{32}(v) + Z_{21} x \partial_{31}(v) - Z_{32} y \partial_{21}^{(2)}(v)$

- $\bullet \partial_2(Z_{32} y Z_{31} z(v)) = \frac{1}{2} Z_{32} y \partial_{32} \partial_{21}(v) - Z_{21} x \partial_{22}^{(2)}(v) - Z_{32} y \partial_{32}^{(2)}(v)$

finally, we defined the map  $\partial_3$  by :

$$\partial_3(Z_{32} y Z_{31} z Z_{21} x(v)) = Z_{32} y Z_{21}^{(2)} x \partial_{22}(v) + Z_{32} y Z_{31} z \partial_{21}(v)$$

#### proposition 4

The complex  
 $0 \rightarrow A_3 \xrightarrow{\partial_3} A_2 \xrightarrow{\partial_2} A_1 \xrightarrow{\partial_1} A_0 \rightarrow K_{(6,5,3)} F$  is exact .

**Proof:** see [1] and [3].

#### REFERENCES

- [1] D.A .Buchsbum ,(2004),Characteristic free Example of Lascoux Resolution and Letter place methods for Intertwining Numbers ,European Journal of Combinatorics ,Vol .25 , pp .1169-1179 .
- [2] D.A. Buchsbum and G.C.Rota ,(2001),Approaches to Resolution of Weyl modules ,Adv .In applied math . 27 ,pp .82-191 .
- [3] H .R .Hassan ,(2006),Application of the characteristic free Resolution of Weyl module to the Lascoux resolution in the case (3,3,3).ph D. thesis ,Universita di Roma "Tor Vergata".